

SAFETY DATA SHEET

1. Identification

Product identifier Andifoam DFA 100 M FGK

Other means of identification

Product code 8231

Recommended use Defoamer

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name
Address
Address
Address
AB Specialty Silicones LLC
3725 Hawthorn Court
Waukegan, IL 60087

US

Telephone General Assistance: 847-599-7765

E-mail info@andisil.com

Contact person Health & Safety Manager

Emergency phone number 24 hour: ChemTel 800-255-3924

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Trimethylsilyl terminated polydimethylsiloxane	63148-62-9	> 70
Amorphous silica	112926-00-8	< 30

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

IngestionRinse mouth. Get medical attention if symptoms occur.Most importantDirect contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delayed

Andifoam DFA 100 M FKG SDS US

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

_____, and an approximation of the second se

Specific hazards arising from the chemicalDuring fire, gases hazardous to health may be formed.
This product contains methylpolysiloxanes which can g

This product contains methylpolysiloxanes which can generate formaldehyde at approximately 300

^o F (150 ^o C) and above, in atmospheres which contain oxygen.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk. In the event of fire, cool tanks with

water spray.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards The product is not flammable.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors/spray and contact with skin and eyes. Ensure adequate ventilation. In case of spills, beware of slippery floors and surfaces. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Wear appropriate personal protective equipment. Avoid inhalation and contact with skin and eyes. Avoid prolonged exposure. Provide adequate ventilation. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Storage temperature: between 5 °C and 30 °C°C. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Do not allow material to freeze. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Туре	Value		
Amorphous silica (CAS 112926-00-8)	TWA	0.8 mg/m3		
,		20 mppcf		
US NIOSH, Booket Guide to Chemical Herorde				

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value
Amorphous silica (CAS 112926-00-8)	TWA	6 mg/m3

Biological limit values No biological exposure limits noted for the ingredient(s).

Andifoam DFA 100 M FKG SDS US

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

This product may be capable of generating 0.1 ppm or greater formaldehyde vapors under certain use conditions. According to OSHA 29 CFR 1910.1048, formaldehyde vapors may be considered hazardous if workplace airborne concentrations exceed 0.1 ppm.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. In the United States of

America, if respirators are used, a program should be instituted to assure compliance with OSHA

29 CFR 1910.134.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.
Color Light gray.
Odor Mild.

Odor threshold Not available.

PH Not available.

Melting point/freezing point Not determined.

Initial boiling point and boiling > 392 °F (> 200 °C)

range

Flash point

> 320.0 °F (> 160.0 °C) Pensky-Martens Closed Cup

Evaporation rate < 1 (n-Butylacetate = 1)

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not determined.

Vapor density > 1 (25 °C) (Air = 1)

Relative density 1.02 - 1.2 (25 °C)

Solubility(ies)

Solubility (water) Completely miscible (water).

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity 1200 - 2500 cP

Other information

Explosive properties Not explosive.

Andifoam DFA 100 M FKG SDS US

Oxidizing properties Not oxidizing.

Percent volatile < 2 %

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials. Keep from freezing. Freezing will damage the emulsion

stability.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Methylpolysiloxanes can generate formaldehyde at approximately 300 degrees Fahrenheit (150 °C) and above, in atmospheres which contain oxygen.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. Do not inhale this material.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low hazard for usual industrial handling by trained personnel when in the

unheated state.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Components Species Test Results

Amorphous silica (CAS 112926-00-8)

Acute Oral

LD50 Rat > 22500 mg/kg

Trimethylsilyl terminated polydimethylsiloxane (CAS 63148-62-9)

Acute

Dermal

LD50 Rabbit > 5000 mg/kg

Oral

LD50 Rat > 17000 mg/kg

Skin corrosion/irritation

Due to lack of data the classification is not possible.

Serious eye damage/eye

Due to lack of data the classification is not possible.

irritation

Respiratory or skin sensitization

Respiratory sensitizationDue to lack of data the classification is not possible. **Skin sensitization**Due to lack of data the classification is not possible.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS 112926-00-8) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicityDue to lack of data the classification is not possible. **Specific target organ toxicity -**Due to lack of data the classification is not possible.

single exposure

Andifoam DFA 100 M FKG SDS US

Specific target organ toxicity -

repeated exposure

Due to lack of data the classification is not possible.

Aspiration hazard

Due to lack of data the classification is not possible.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

No data available for this product.

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established.

the IBC Code

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are listed on or exempt from the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Andifoam DFA 100 M FKG SDS US

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Amorphous silica (CAS 112926-00-8)

US. New Jersey Worker and Community Right-to-Know Act

Amorphous silica (CAS 112926-00-8)

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date13-May-2014Revision date08-July-2015

Version # 03
HMIS® ratings Health: 1

Flammability: 1 Physical hazard: 0

Disclaimer This information is provided without warranty. The information is believed to be correct. This

information should be used to make an independent determination of the methods to safeguard workers and the environment. AB Specialty Silicones LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and

experience currently available.

Andifoam DFA 100 M FKG SDS US

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).