Andisil® OH 30



TYPICAL PROPERTIES*

APPEARANCE	Milky white liquid
VISCOSITY @ 25 °C	25 - 35 cSt
REFRACTIVE INDEX @ 25 °C	1.401
SPECIFIC GRAVITY @ 25 °C	0.950

^{*} These values are not intended to be used as specifications but only as suggested characteristics

DESCRIPTION

Andisil® OH 30 fluid is a low viscosity silicone fluid containing one silanol moiety (Si-OH) at each terminus of the polydimethylsiloxane chain. Andisil® OH 30 is a versatile silicone fluid that is employed in many different applications such as silicone rubber compounding, silicone foams, lubricants, mold release agents, personal care formulations, dehydrogenative coupling, rheological modifier, filler treatments, etc.

STORAGE & SHELF LIFE

The shelf life, when the container is stored unopened and under proper conditions, is expected to be a minimum of twelve months. It is recommended to ground the container when pouring or weighing a quantity into another container or vessel to eliminate the chance of a static discharge.

Andisil® OH 30 must not be in contact or mixed with strong bases or alkali such as sodium hydroxide and potassium hydroxide to prevent the material from gelling or polymerizing. Mixing vessel and processing equipment must be clean and free of any strong basic contaminants.

PACKAGING & HANDLING

Andisil® OH 30 are supplied in 440 pound net weight steel lined drums, other packaging options are available upon request.

For additional information on the product, please contact your Sales Representative.



We believe that the information shown in this Product Bulletin to be an accurate description of the typical characteristics and/or uses of the product. Any suggestions of uses are not to be taken as an inducement to infringe any particular domestic or foreign patent. We recommend that the product be thoroughly tested for a specific application to determine the performance, efficacy and its safe handling and use.

AB Specialty Silicones | 3725 Hawthorn Court | Waukegan, IL 60087